

BID #WG20-06 SPECIFICATIONS
CRUSHED STONE, CRUSHED SLAG, CRUSHED GRAVEL, CRUSHED CONCRETE,
CRUSHED AGGREGATE BASE MATERIALS

Baldwin County desires bids for Crushed Stone, Crushed Slag, Crushed Gravel, Crushed Concrete and Crushed Aggregate Base Materials for the Baldwin County Highway Department.

It is the intent of the Baldwin County Commission to award this contract for a twelve (12) calendar month period beginning on the date of award.

Supply location will play a large part of bid award. More than one bidder may be awarded due to the supply location. Baldwin County will award on a per "**Maintenance Area**" basis as shown on the attached map.

The County Engineer or his designee will factor in the supply location in determining the low bidder for each "**Maintenance Area**". A per-road mile truck operating cost will be multiplied times the road miles of the best route between the supply location and each "**Maintenance Area**" for all material picked up by Baldwin County.

In the event that the awarded bidders' prime location cannot supply material, then the secondary awarded bidder will become the prime supplier for that day or project. This will be noted by the County representative at the bottom of the request for materials.

All grades of aggregate listed on the Bidders Response form shall include a price F.O.B. for material picked-up by Baldwin County at the bidder's supply location. Bidders shall stipulate the supply location applicable to the material. Bidders shall include a delivered price for all grades of the aggregates as noted on the Bidders response form. Delivery shall be in truck load quantities as ordered by Baldwin County F.O.B. and delivery will be per "**Maintenance Area**" with the Maintenance Areas as shown on the attached map.

All materials listed in this bid should meet the latest addition of the ALDOT Standard Specification Book.

NOTE: Number 5 Stone whether it is crushed gravel, crushed slag or crushed stone may be provided unwashed. This material is proposed primarily for maintenance of dirt roads.

CRUSHED STONE

Crushed Stone according to section 801.03 of Alabama Department of Transportation Standard Specifications for Highway Construction, (ALDOT Specifications) latest edition; Class 1 and Class 2 Rip-Rap per Section 814.01(b) of the ALDOT Standard specifications, latest edition; Type 3 Masonry Stone per section 812 of ALDOT Standard specifications latest edition.

Stone shall be in accordance with ALDOT Specifications and test reports shall be furnished when requested.

CRUSHED SLAG

Crushed Slag according to Section 801.05 of ALDOT Specifications, latest edition, for use by the Baldwin County Highway Department.

Slag shall be in accordance with ALDOT Specifications and test reports shall be furnished when requested.

CRUSHED GRAVEL

Crushed Gravel in accordance with ALDOT Specifications, Section 801.03, and test reports shall be furnished when requested.

Crushed gravel shall be offered in sizes consistent with ALDOT Gradation 467, 5, 6, 7, 78, 810, and gravel screenings. Material is proposed for maintenance use as aggregate surfacing or with asphalt.

CRUSHED AGGREGATE BASE MATERIALS

Crushed Aggregate Base Materials shall be in accordance with ALDOT Specifications, Section 825, and test reports shall be furnished when requested.

All limestone base materials must meet the gradation requirements of ALDOT Standard Specification Section 825. The source quarry must be listed in the most current ALDOT Approved Source Manual at the time of this bid. The supplier must also participate in the ALDOT's Aggregate Quality Control Program at the supply location.

NOTE: In no case shall moisture be applied to Crushed Aggregate Base Materials other than caused by natural events.

CRUSHED CONCRETE

All crushed concrete shall meet the gradation requirements of the latest edition of ALDOT Standard Specifications Section 825.03. All deleterious materials including wood, steel, rebar, etc... must be removed from mix.

2" MINUS SCREENED LIMEROCK BASE

99% of sample material shall pass 2" sieve

NOTE: This is not an ALDOT classified material.

WHITE SAND -WASHED

Washed – Less than 5% retained on 200 sieve.

BID #WG20-06 RESPONSE FORM
CRUSHED AGGREGATES
Maintenance Area - 100

Date: _____

Company Name _____

Address _____

Phone Number () _____

Fax Number () _____

Authorized Signature _____
 (please print or type Name)

Position _____

Email _____

Supply Location _____

CRUSHED GRAVEL -- ALDOT SPECIFICATION SIZES 467 through 78

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Product/Size	Supplier Quarry Or Source Name	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
ALDOT No. 467				\$	\$
ALDOT No. 467				\$	\$
ALDOT No. 5				\$	\$
ALDOT No. 5				\$	\$
ALDOT No. 57				\$	\$
ALDOT No. 57				\$	\$
ALDOT No. 78				\$	\$
ALDOT No. 78				\$	\$

BID #WG20-06 RESPONSE FORM
CRUSHED LIMESTONE - ALDOT SPECIFICATIONS 467 through 89
Maintenance Area -100

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Product/Size	Supplier Quarry Or Source Name (If Any)	Supplier Plant or Yard Name	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
ALDOT No. 467				\$	\$
ALDOT No. 467				\$	\$
ALDOT No. 467				\$	\$
ALDOT No. 4				\$	\$
ALDOT No. 4				\$	\$
ALDOT No. 4				\$	\$
ALDOT No. 57				\$	\$
ALDOT No. 57				\$	\$
ALDOT No. 57				\$	\$
ALDOT No. 67				\$	\$
ALDOT No. 67				\$	\$
ALDOT No. 67				\$	\$
ALDOT No. 78				\$	\$
ALDOT No. 78				\$	\$
ALDOT No. 78				\$	\$
ALDOT No. 78				\$	\$
ALDOT No. 89				\$	\$
ALDOT No. 89				\$	\$
ALDOT No. 89				\$	\$
ALDOT No. 5				\$	\$
ALDOT No. 5				\$	\$

BID#WG20-06 BID RESPONSE FORM
CRUSHED LIMESTONE RIP RAP - ALDOT SIZES Class 1, 2, 3 and Gabion Stone
Maintenance Area -100

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Product/Size	Supplier Quarry Or Source Name	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
ALDOT Class 1				\$	\$
ALDOT Class 1				\$	\$
ALDOT Class 2				\$	\$
ALDOT Class 2				\$	\$
ALDOT Class 3				\$	\$
ALDOT Class 3				\$	\$
ALDOT 3" X 6" Gabion Stone				\$	\$
ALDOT 3" X 6" Gabion Stone				\$	\$

RECYCLED CRUSHED CONCRETE PRODUCTS

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Product/Size	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price Per Ton Delivered
2" x 0 Base			\$	\$
6" x 2" Cobbles			\$	\$
Rubble Riprap (Less than 300 lb.)			\$	\$

BID#WG20-06 BID RESPONSE FORM
CRUSHED LIMESTONE BASE - ALDOT SPECIFICATION 825-A & 825-B
Maintenance Area -100

825 -A

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Supplier Quarry or Source Name	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
			\$	\$
			\$	\$
			\$	\$
			\$	\$

825 -B

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Supplier Quarry or Source Name	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
			\$	\$
			\$	\$
			\$	\$
			\$	\$

BID#WG20-06 BID RESPONSE FORM
2" Minus Screened Limerock Base
Maintenance Area -100

2" Minus Screened Limerock Base

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Supplier Quarry or Source Name	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
			\$	\$
			\$	\$
			\$	\$
			\$	\$

White Sand - Washed

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Supplier Quarry or Source Name	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
			\$	\$
			\$	\$
			\$	\$
			\$	\$

BID #WG20-06 RESPONSE FORM
CRUSHED AGGREGATES
Maintenance Area - 200

Date: _____

Company Name _____

Address _____

Phone Number () _____

Fax Number () _____

Authorized Signature _____

 (please print or type Name)

Position _____

Supply Location _____

CRUSHED GRAVEL -- ALDOT SPECIFICATION SIZES 467 through 78

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Product/Size	Supplier Quarry Or Source Name	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
ALDOT No. 467				\$	\$
ALDOT No. 467				\$	\$
ALDOT No. 5				\$	\$
ALDOT No. 5				\$	\$
ALDOT No. 57				\$	\$
ALDOT No. 57				\$	\$
ALDOT No. 78				\$	\$
ALDOT No. 78				\$	\$

BID #WG20-06 RESPONSE FORM
CRUSHED LIMESTONE - ALDOT SPECIFICATIONS 467 through 89
Maintenance Area -200

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Product/Size	Supplier Quarry Or Source Name	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
ALDOT No. 467				\$	\$
ALDOT No. 467				\$	\$
ALDOT No. 467				\$	\$
ALDOT No. 4				\$	\$
ALDOT No. 4				\$	\$
ALDOT No. 4				\$	\$
ALDOT No. 57				\$	\$
ALDOT No. 57				\$	\$
ALDOT No. 57				\$	\$
ALDOT No. 67				\$	\$
ALDOT No. 67				\$	\$
ALDOT No. 67				\$	\$
ALDOT No. 78				\$	\$
ALDOT No. 78				\$	\$
ALDOT No. 78				\$	\$
ALDOT No. 78				\$	\$
ALDOT No. 89				\$	\$
ALDOT No. 89				\$	\$
ALDOT No. 89				\$	\$
ALDOT No. 5				\$	\$
ALDOT No. 5				\$	\$

BID#WG20-06 BID RESPONSE FORM
CRUSHED LIMESTONE RIP RAP - ALDOT SIZES Class 1, 2, 3 and Gabion Stone
Maintenance Area -200

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Product/Size	Supplier Quarry Or Source Name	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
ALDOT Class 1				\$	\$
ALDOT Class 1				\$	\$
ALDOT Class 2				\$	\$
ALDOT Class 2				\$	\$
ALDOT Class 3				\$	\$
ALDOT Class 3				\$	\$
ALDOT 3" X 6" Gabion Stone				\$	\$
ALDOT 3" X 6" Gabion Stone				\$	\$

RECYCLED CRUSHED CONCRETE PRODUCTS

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Product/Size	Supplier Quarry Or Source Name	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
2" x 0 Base				\$	\$
6" x 2" Cobbles				\$	\$
Rubble Riprap (Less than 300 lb.)				\$	\$

BID#WG20-06 BID RESPONSE FORM
CRUSHED LIMESTONE BASE - ALDOT SPECIFICATION 825-A & 825-B
Maintenance Area -200

825 -A

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Supplier Quarry or Source Name	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
			\$	\$
			\$	\$
			\$	\$
			\$	\$

825 -B

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Supplier Quarry or Source Name	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
			\$	\$
			\$	\$
			\$	\$
			\$	\$

BID#WG20-06 BID RESPONSE FORM
2" Minus Screened Limerock Base
Maintenance Area -200

2" Minus Screened Limerock Base

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Supplier Quarry or Source Name	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
			\$	\$
			\$	\$
			\$	\$
			\$	\$

White Sand - Washed

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Supplier Quarry or Source Name	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
			\$	\$
			\$	\$
			\$	\$
			\$	\$

BID #WG20-06 RESPONSE FORM
CRUSHED AGGREGATES
Maintenance Area - 300

Date: _____

Company Name _____

Address _____

Phone Number () _____

Fax Number () _____

Authorized Signature _____

 (please print or type Name)

Position _____

Supply Location _____

CRUSHED GRAVEL -- ALDOT SPECIFICATION SIZES 467 through 78

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Product/Size	Supplier Quarry Or Source Name	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
ALDOT No. 467				\$	\$
ALDOT No. 467				\$	\$
ALDOT No. 5				\$	\$
ALDOT No. 5				\$	\$
ALDOT No. 57				\$	\$
ALDOT No. 57				\$	\$
ALDOT No. 78				\$	\$
ALDOT No. 78				\$	\$

BID #WG20-06 RESPONSE FORM
CRUSHED LIMESTONE - ALDOT SPECIFICATIONS 467 through 89
Maintenance Area -300

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Product/Size	Supplier Quarry Or Source Name	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
ALDOT No. 467				\$	\$
ALDOT No. 467				\$	\$
ALDOT No. 467				\$	\$
ALDOT No. 4				\$	\$
ALDOT No. 4				\$	\$
ALDOT No. 4				\$	\$
ALDOT No. 4				\$	\$
ALDOT No. 57				\$	\$
ALDOT No. 57				\$	\$
ALDOT No. 57				\$	\$
ALDOT No. 67				\$	\$
ALDOT No. 67				\$	\$
ALDOT No. 67				\$	\$
ALDOT No. 78				\$	\$
ALDOT No. 78				\$	\$
ALDOT No. 78				\$	\$
ALDOT No. 78				\$	\$
ALDOT No. 89				\$	\$
ALDOT No. 89				\$	\$
ALDOT No. 89				\$	\$
ALDOT No. 5				\$	\$
ALDOT No. 5				\$	\$

BID#WG20-06 BID RESPONSE FORM
CRUSHED LIMESTONE RIP RAP - ALDOT SIZES Class 1, 2, 3 and Gabion Stone
Maintenance Area -300

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Product/Size	Supplier Quarry Or Source Name (If Any)	Supplier Plant or Yard Name	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
ALDOT Class 1				\$	\$
ALDOT Class 1				\$	\$
ALDOT Class 2				\$	\$
ALDOT Class 2				\$	\$
ALDOT Class 3				\$	\$
ALDOT Class 3				\$	\$
ALDOT 3" X 6" Gabion Stone				\$	\$
ALDOT 3" X 6" Gabion Stone				\$	\$

RECYCLED CRUSHED CONCRETE PRODUCTS

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Product/Size	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price Per Ton Delivered
2" x 0 Base			\$	\$
6" x 2" Cobbles			\$	\$
Rubble Riprap (Less than 300 lb.)			\$	\$

BID#WG20-06 BID RESPONSE FORM
CRUSHED LIMESTONE BASE - ALDOT SPECIFICATION 825-A & 825-B
Maintenance Area -300

825 -A

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Supplier Quarry or Source Name	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
			\$	\$
			\$	\$
			\$	\$
			\$	\$

825 -B

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Supplier Quarry or Source Name	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
			\$	\$
			\$	\$
			\$	\$
			\$	\$

BID#WG20-06 BID RESPONSE FORM
2" Minus Screened Limerock Base
Maintenance Area -300

2" Minus Screened Limerock Base

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Supplier Quarry or Source Name	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
			\$	\$
			\$	\$
			\$	\$
			\$	\$

White Sand - Washed

Note: Additional lines are provided if Bidder wishes to bid from more than one supply location.

Supplier Quarry or Source Name	Supplier Plant or Yard Name (If Any)	Plant or Yard Address	Price per Ton FOB Supply Location	Price per Ton Delivered
			\$	\$
			\$	\$
			\$	\$
			\$	\$