



REQ'D: STA. 11+50  
 -TREE / DEBRIS / CHANNEL CLEARING  
 -GABION WEIR MAT (REMOVAL)  
 -GABION WEIR MAT (NEW)  
 -20 SY OF TERMINUS CL. 2 RIP-RAP (20 TONS)  
 -SELECT EARTHFILL

REQ'D: STA. 11+50  
 -100 SY CL. 2 RIP-RAP  
 PROTECTION (90 TONS)

REQ'D: STA. 16+00  
 -ARMOUR EMBANKMENT W/ 50 SY CL.  
 2 RIP-RAP PROTECTION (45 TONS)  
 -KEY DEBRIS TOE OF SLOPE

STA. 19+00  
 EXIST. RIP-RAP  
 PROTECTION

REQ'D: STA. 22+00  
 -ARMOUR EMBANKMENT W/ 88 SY CL. 2  
 RIP-RAP PROTECTION (75 TONS)  
 -KEY DEBRIS TOE OF SLOPE

REQ'D: STA. 7+00  
 -TREE / DEBRIS / CHANNEL CLEARING  
 -GABION WEIR MAT (REMOVAL)  
 -GABION WEIR MAT (NEW)  
 -20 SY OF TERMINUS CL. 2  
 RIP-RAP (20 TONS)  
 -SELECT EARTHFILL

REQ'D: STA. 2+75-3+25  
 -KEY TREE DEBRIS @ TOE OF SLOPE  
 -ARMOUR EMBANKMENT W/ 70 SY,  
 CL. 2 RIP-RAP (12" THICK)  
 (65 TONS)

REQ'D:  
 -TREE / DEBRIS / CHANNEL CLEARING  
 -REMOVAL FROM CHANNEL AND  
 PLACE @ STA. 3+00

REQ'D: STA. 4+00-5+60  
 -TREE / DEBRIS REMOVAL  
 -10' TO 12' HIGH GABION WALL  
 -20 SY OF TERMINUS CL. 2 RIP-RAP  
 (20 TONS)

REQ'D: STA. 13+80-14+40  
 -SELECT EARTHFILL BEHIND EXIST. WALL  
 -51 TONS OF CL. 2 RIP-RAP @ TOE WALL  
 -10 SY OF TERMINUS CL. 2 RIP-RAP  
 (10 TONS)

REQ'D: STA. 17+90-18+90  
 -RETAINING WALL REMOVAL  
 -100 LF OF CANTILEVER SHEET PILE  
 -10' TO 12' HIGH GABION WALL  
 -20 SY OF TERMINUS CL. 2 RIP-RAP (20 TONS)  
 -SELECT EARTHFILL

REQ'D: STA. 19+70-20+20  
 -TREE / DEBRIS / CHANNEL CLEARING  
 -GABION WEIR MAT (REMOVAL)  
 -GABION WEIR MAT (NEW)  
 -8' TO 9' HIGH GABION WALL (2 @ 50 LF)  
 -20 SY OF TERMINUS CL. 2 RIP-RAP (20 TONS)

# LEGEND

- CL. 2 RIP-RAP FOUND
- CL. 2 RIP-RAP TO BE REMOVED
- CL. 2 RIP-RAP TO BE RETAINED
- CL. 2 RIP-RAP TO BE REPLACED
- CL. 2 RIP-RAP TO BE SELECTED
- CL. 2 RIP-RAP TO BE SELECTED
- CL. 2 RIP-RAP TO BE SELECTED
- CL. 2 RIP-RAP TO BE SELECTED
- CL. 2 RIP-RAP TO BE SELECTED
- CL. 2 RIP-RAP TO BE SELECTED



DRAINAGE OVERVIEW  
 RED GULLEY REPAIR PROJECT  
 BALDWIN COUNTY COMMISSION

SCALE: 1"=40'  
 DATE: JANUARY, 2021  
 DRAWN BY: JC  
 CHECKED BY: SD  
 SHEET NO. 1 OF 1