



Baldwin County Commission

Legislation Details (With Text)

File #: 19-1059 **Version:** 1
Type: Consent **Status:** Passed
File created: 4/9/2019 **In control:** Baldwin County Commission Regular
On agenda: 5/7/2019 **Final action:** 5/7/2019
Title: Lynx Systems Facility-wide Duress and Emergency Notifications

Indexes:

Attachments:

Date	Ver.	Action By	Action	Result
5/7/2019	1	Baldwin County Commission Regular	Approved	

Meeting Type: BCC Regular Meeting

Meeting Date: 5/7/2019

Item Status: New

From: Brian Peacock, CIS Director/Wanda Gautney, Purchasing Director

Submitted by: Brian Peacock, CIS Director

ITEM TITLE

Lynx Systems Facility-wide Duress and Emergency Notifications

STAFF RECOMMENDATION

Approve and authorize the Chairman to sign all documents related to the purchase and installation of Lynx Duress and Emergency Notification system that will provide County and State personnel within County operated facilities the ability to request help and receive emergency notifications.

BACKGROUND INFORMATION

Previous Commission action/date: No

Background: Existing system provides limited options and coverage area. Lynx will be incorporated into the Baldwin County Commission Infrastructure and will provide said services countywide.

FINANCIAL IMPACT

Total cost of recommendation: \$90,576.16

Budget line item(s) to be used: 51105.5290

If this is not a budgeted expenditure, does the recommendation create a need for funding?

N/A

LEGAL IMPACT

Is legal review necessary for this staff recommendation and related documents?

Yes

Reviewed/approved by: N/A

Additional comments: N/A

ADVERTISING REQUIREMENTS

Is advertising required for this recommendation? No

If the proof of publication affidavit is not attached, list the reason: N/A

FOLLOW UP IMPLEMENTATION

For time-sensitive follow up, select deadline date for follow up: N/A

Individual(s) responsible for follow up: CIS to work with Purchasing to secure PO

Action required (list contact persons/addresses if documents are to be mailed or emailed):

N/A

Additional instructions/notes: N/A