

Legislation Text

File #: 18-0529, Version: 1

Meeting Type: BCC Regular Meeting Meeting Date: 7/3/2018 Item Status: New From: Wanda Gautney/Junius Long/Jeannie Peerson Submitted by: Wanda Gautney, Purchasing Director

## ITEM TITLE

Competitive Bid #WG18-35 - Renovations of the Restrooms in the Baldwin County Satellite Courthouse Located in Foley, Alabama for the Baldwin County Commission

### STAFF RECOMMENDATION

Take the following actions:

1) Approve the specifications and authorize the Purchasing Director to place a competitive bid for the renovations of the restrooms located in the Foley Satellite Courthouse; and

2) Further, authorize the Chairman/Purchasing Division Commissioner for the Baldwin County Commission to approve any necessary addendums or clarifications if required after the bid is advertised.

### BACKGROUND INFORMATION

### Previous Commission action/date: N/A

**Background:** Foley Courthouse staff is requesting that a solicitation be advertised for the renovations of the restrooms located in the Foley Satellite Courthouse. Courthouse staff is requesting that all 10 restrooms located in the Courthouse be renovated and brought up the Federal ADA requirements.

### FINANCIAL IMPACT

Total cost of recommendation: N/A

Budget line item(s) to be used: N/A

If this is not a budgeted expenditure, does the recommendation create a need for funding? N/A

# LEGAL IMPACT

Is legal review necessary for this staff recommendation and related documents?  $N\!/\!A$ 

Reviewed/approved by: N/A

Additional comments: N/A

### ADVERTISING REQUIREMENTS

Is advertising required for this recommendation? N/A

If the proof of publication affidavit is not attached, list the reason: N/A

### FOLLOW UP IMPLEMENTATION

For time-sensitive follow up, select deadline date for follow up: 07/03/2018

Individual(s) responsible for follow up: Wanda Gautney, Purchasing Director

Action required (list contact persons/addresses if documents are to be mailed or emailed): Mail Bids

Additional instructions/notes: N/A